

# 848 Material Safety Data Sheet

Functional Group ID=**MS**

## Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Material Safety Data Sheet Transaction Set (848) for use within an Electronic Data Interchange (EDI) environment. The transaction set can be used to communicate chemical characteristics, hazards, and precautions for the safe handling and use of a material. The transaction set is intended to convey the information required for a Material Safety Data Sheet (MSDS) as defined by the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard, 29 CFR 1910.1200 in the United States, and Workplace Hazardous Materials Information System (WHIMS) in Canada, and various state, province, and local requirements under right-to-know legislation. The MSDS provides the receiver with detailed information concerning material identity, emergency response, chemical and physical characteristics, toxicology, and industrial hygiene procedures. State and federal law dictate who is obligated to provide the MSDS and to whom it should be issued. In addition, third-party providers or others with no statutory obligation may voluntarily provide an MSDS to anyone. This transaction set allows for transmission of MSDS data in a structured, unstructured, or semi-structured form. CAUTION: With this transaction set, text format is critical due to the MSDS's primary role as a vehicle for hazards communication. The risk if this information is not transmitted clearly and accurately could be harmful to human life, harmful to the environment, could cause mishandling of product, could result in regulatory non-compliance, and could result in liability. Trading partners need to agree on how to interpret, store, and display/print MSDS text, especially text contained in the MSG and SD1 segments. For example, a sender may wish to format text so that one print line is mapped to one MSG segment. Segment terminator and data element delimiter characters shall not appear in any MSDS data. WARNING: Alteration of the original document will occur if the EDI translator or application software converts characters to uppercase. This may adversely affect the appearance, effectiveness, clarity, readability, and communicability of the printed MSDS document.

## Notes:

- 1. This implementation convention provides the fully unstructured format for submission of a "text like" Material Safety Data Sheet (MSDS). The Federal Government seeks to maximize the use of the structured convention where possible.***
- 2. This data requirement conforms with the Chemical Manufacturer's Association ANSI standard for MSDS preparation (ANSI Z400.1) and provides for hazard communication (HAZCOM) warning label information. Non ANSI Z400.1 format MSDS can also be accommodated within this structure, but suppliers should ensure the format used preserves data clarity and readability.***
- 3. Strict version control of each MSDS for unique products and formulations is required. The primary method for MSDS identification is through a linkage between a unique MSDS reference number, a revision number if applicable, a manufacturer's part number, a CAGE (commercial and government entity), and MSDS effective date. Priority should be given to this data when identifying a unique product.***
- 4. Send only one MSDS per transaction.***

**5. For any section where information is not available or not applicable, cite the section heading and provide an indicative message such as, for example, "Not Available."**

### Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BMS	Beginning Segment For Material Safety Data Sheet	M	1		
Not Used	030	NTE	Note/Special Instruction	O	>1		
Must Use	040	REF	Reference Numbers	O	>1		
	050	DTM	Date/Time Reference	O	>1		
						LOOP ID - N1	>1
	060	N1	Name	O	1		
	070	N2	Additional Name Information	O	>1		
	080	N3	Address Information	O	>1		
	090	N4	Geographic Location	O	1		
	100	REF	Reference Numbers	O	>1		
	110	PER	Administrative Communications Contact	O	>1		

### Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
						LOOP ID - LIN	999999
Must Use	010	LIN	Item Identification	M	1		n1
	020	PID	Product/Item Description	O	>1		
						LOOP ID - MSS	>1
	030	MSS	Material Safety Data Sheet Section Information	O	1		n2
Not Used	040	MEA	Measurements	O	>1		
	050	MSG	Message Text	O	>1		n3
						LOOP ID - SD1	>1
Not Used	060	SD1	Safety Data	O	1		n4
Not Used	070	MEA	Measurements	O	>1		
Not Used	072	PKG	Marking, Packaging, Loading	O	>1		
Not Used	074	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	>1		
Not Used	080	MSG	Message Text	O	>1		n5
						LOOP ID - CID	>1
Not Used	100	CID	Characteristic/Class ID	O	1		
Not Used	110	MEA	Measurements	M	>1		
						LOOP ID - LX	>1
Not Used	115	LX	Assigned Number	O	1		
Not Used	120	CID	Characteristic/Class ID	O	1		
Not Used	130	MEA	Measurements	O	>1		
Not Used	140	STA	Statistics	O	1		

848U - Material Safety Data Sheet (Unstructured)

Not Used	150	TMD	Test Method	O	1
Not Used	160	MSG	Message Text	O	>1
LOOP ID - SD1					>1
Not Used	170	SD1	Safety Data	O	1
Not Used	180	MEA	Measurements	O	>1
Not Used	182	PKG	Marking, Packaging, Loading	O	>1
Not Used	184	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	>1
Not Used	190	MSG	Message Text	O	>1
LOOP ID - CID					>1
Not Used	210	CID	Characteristic/Class ID	O	1
Not Used	220	MEA	Measurements	M	>1

**Summary:**

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Not Used	010	CTT	Transaction Totals	O	1		n6
Must Use	020	SE	Transaction Set Trailer	M	1		

**Transaction Set Notes**

1. LIN loop is product level. MSS is section level. The first SD1 loop is safety data relating to the section only. The first CID loop is for complex measurements on safety data. LX loop is used to specify product characteristics, components, or complex measurements (i.e., those with environmental parameters). The second SD1 loop is safety data relating to a particular product characteristic or component. The second CID loop is for complex measurements on safety data, which related to a particular product characteristic or component.
2. Regulation notifications can be contained in MSS or SD1 or both.
3. Trading partners must agree on a convention for text processing that will not split words, and which can convey correct meaning, in successive SD1 or MSG segments.
4. Regulation notifications can be contained in MSS or SD1 or both.
5. Trading partners must agree on a convention for text processing that will not split words, and which can convey correct meaning, in successive SD1 or MSG segments.
6. The number of line items (CTT01) is the accumulation of the number of LIN segments. Hash total (CTT02) is not used in this transaction set.

**Segment:** **ST** Transaction Set Header  
**Position:** 010  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the start of a transaction set and to assign a control number  
**Syntax Notes:**  
**Semantic Notes:** 1 The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).  
**Comments:**

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b><u>Des.</u></b>	<b><u>Element</u> <u>Name</u></b>	
<b>Must Use</b>	<b>ST01</b>	<b>143 Transaction Set Identifier Code</b>	<b>M ID 3/3</b>
		Code uniquely identifying a Transaction Set 848 X12.36 Material Safety Data Sheet	
<b>Must Use</b>	<b>ST02</b>	<b>329 Transaction Set Control Number</b>	<b>M AN 4/9</b>
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>A unique number assigned by the originator of the transaction set, or the originator's application program.</i>	

**Segment:** **BMS** Beginning Segment For Material Safety Data Sheet  
**Position:** 020  
**Loop:**  
**Level:** Heading  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** Beginning of the Material Safety Data Sheet Transaction Set, to identify the distinct type of report and to transmit key identifying numbers and dates relating to that report

**Syntax Notes:**

- Semantic Notes:**
- 1 BMS02 specifies date the report is effective (YYMMDD).
  - 2 BMS04 specifies sender's report identifier.
  - 3 BMS05 is a number indicating the chronological sequence of this revision.
  - 4 BMS08 specifies the state or province for ultimate receipt of this report.
  - 5 BMS09 specifies the country for ultimate receipt of this report.

- Comments:**
- 1 If BMS01 is code "05" and BMS04 is used, then BMS06, if used, must identify the previous version of this report which is being replaced.  
 If BMS01 is code "05" and BMS05 is used, then BMS07, if used, must identify the previous version of this report which is being replaced.
  - 2 BMS03 specifies the language of the text information in the Material Safety Data Sheet (MSDS).

**Data Element Summary**

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>		<u>Attributes</u>
Must Use	BMS01	353	Transaction Set Purpose Code	M ID 2/2
			Code identifying purpose of transaction set	
		00	Original <i>Use to identify an original MSDS transaction submission.</i>	
		01	Cancellation <i>Use only to indicate the cancellation of a previously submitted MSDS when the MSDS is found to be inaccurate and a new original (or replacement) MSDS has been submitted.</i>	
		05	Replace <i>Use to identify the original submission of a MSDS which replace an existing MSDS, whether previously submitted or not. Submission of a replacement MSDS is considered to be advisory information for the recipient and is not associated with an ongoing acquisition action. This encompasses MSDSs superseded, replaced, or revised.</i>	
Must Use	BMS02	373	Date	M DT 6/6

			Date (YYMMDD)	
			<i>1. Cite the date on which the MSDS content is in effect.</i>	
			<i>2. For MSDS request transactions, cite the date of request.</i>	
	<b>BMS03</b>	<b>819</b>	<b>Language Code</b>	<b>O ID 2/3</b>
			Code designating the language used in text, from a standard code list maintained by the International Standards Organization (ISO 639)	
			<i>Use to specify a language if other than English.</i>	
	<b>BMS04</b>	<b>127</b>	<b>Reference Number</b>	<b>O AN 1/30</b>
			Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	
			<i>Cite the MSDS reference number which uniquely identifies any individual MSDS in original and cancellation submissions. For replacement MSDS submissions, cite the reference number of the MSDS which is replacing the obsolete MSDS.</i>	
	<b>BMS05</b>	<b>691</b>	<b>Revision Number</b>	<b>O N0 1/4</b>
			A number which indicates the chronological sequence of revisions and updates to a ratemaking docket	
			<i>Use to identify the unique revision number associated with the MSDS reference number as assigned by the developer of the MSDS. This is the most recent version of the MSDS.</i>	
	<b>BMS06</b>	<b>127</b>	<b>Reference Number</b>	<b>O AN 1/30</b>
			Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	
			<i>Use only in MSDS replacement submissions to identify the MSDS reference number of the MSDS being replaced.</i>	
	<b>BMS07</b>	<b>691</b>	<b>Revision Number</b>	<b>O N0 1/4</b>
			A number which indicates the chronological sequence of revisions and updates to a ratemaking docket	
			<i>Use only in MSDS replacement submissions to identify the MSDS revision number applicable to the MSDS being replaced.</i>	
<b>Not Used</b>	<b>BMS08</b>	<b>156</b>	<b>State or Province Code</b>	<b>O ID 2/2</b>
			Code (Standard State/Province) as defined by appropriate government agency	
<b>Not Used</b>	<b>BMS09</b>	<b>26</b>	<b>Country Code</b>	<b>O ID 2/3</b>
			Code identifying the country	

**Segment:** **REF** Reference Numbers  
**Position:** 040  
**Loop:**  
**Level:** Heading  
**Usage:** Optional (Must Use)  
**Max Use:** >1  
**Purpose:** To specify identifying numbers.  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
**Semantic Notes:**  
**Comments:**

- Notes:**
- 1. Use for the original and cancellation submissions to identify the appropriate reference number associated with the MSDS submission requirement. Use multiple repetitions of the 1/REF/040 segment as needed to identify contract number and associated release or delivery order number.*
  - 2. The 1/REF/040 segment MUST be used once to identify the type of implementation convention being used for this transaction. Use code EZ in REF01 and cite the appropriate code in REF02.*
  - 3. Use for replacement submissions, if known, to identify the applicable contract, purchase order, or other number associated with the original submission.*

**Data Element Summary**

Ref. Des.	Data Element	Name	Attributes
Must Use	REF01	128 Reference Number Qualifier	M ID 2/2
		Code qualifying the Reference Number.	
		2G Amendment	
		C4 Change Number	
		<i>Use to cite the contract modification number, as required.</i>	
		CT Contract Number	
		DO Delivery Order Number	
		<i>Use to cite the delivery order number against requirements or indefinite quantity contracts.</i>	
		EZ Electronic Data Interchange Agreement Number	
		<i>Use to identify the implementation convention used for this transaction by citing the following in REF02: "848F004"</i>	
		KS Solicitation	
		A discreet number assigned by the purchasing activity to differentiate between different solicitations	
		<i>Use to indicate the solicitation number under</i>	

*which the MSDS is submitted. This is the primary method for cross reference to purchase prior to contract award.*

PR Price Quote Number

TN Transaction Reference Number

*Use to cite the MSDS request number given in BMS04 of the MSDS request transaction, if applicable.*

<b>Must Use</b>	<b>REF02</b>	<b>127</b>	<b>Reference Number</b>	<b>X AN 1/30</b>
			Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	
	<b>REF03</b>	<b>352</b>	<b>Description</b>	<b>X AN 1/80</b>
			A free-form description to clarify the related data elements and their content	

**Segment:** **DTM** Date/Time Reference

**Position:** 050

**Loop:**

**Level:** Heading

**Usage:** Optional

**Max Use:** >1

**Purpose:** To specify pertinent dates and times

- Syntax Notes:**
- 1 At least one of DTM02 DTM03 or DTM06 is required.
  - 2 If either DTM06 or DTM07 is present, then the other is required.

**Semantic Notes:**

**Comments:**

**Notes:** *1. Use in MSDS original, cancellation, and replacement transactions to identify the MSDS date of preparation.*

**Data Element Summary**

Ref.	Data			Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>		
Must Use	DTM01	374	Date/Time Qualifier	M ID 3/3
			Code specifying type of date or time, or both date and time	
		042	Superseded	
			<i>Use in replacement submissions only to identify the preparation date of MSDS being replaced.</i>	
		102	Issue	
			<i>Use in original and cancellation transactions to identify the date of preparation for the MSDS being submitted or canceled. Use in replacement submissions to identify the original date of preparation for the new MSDS.</i>	
Must Use	DTM02	373	Date	X DT 6/6
			Date (YYMMDD)	
Not Used	DTM03	337	Time	X TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
Not Used	DTM04	623	Time Code	O ID 2/2
			Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	
	DTM05	624	Century	O N0 2/2
			The first two characters in the designation of the year (CCYY)	

<b>Not Used</b>	<b>DTM06</b>	<b>1250</b>	<b>Date Time Period Format Qualifier</b>	<b>X</b>	<b>ID 2/3</b>
			Code indicating the date format, time format, or date and time format		
<b>Not Used</b>	<b>DTM07</b>	<b>1251</b>	<b>Date Time Period</b>	<b>X</b>	<b>AN 1/35</b>
			Expression of a date, a time, or range of dates, times or dates and times		

**Segment:** **N1** Name  
**Position:** 060  
**Loop:** N1 Optional  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To identify a party by type of organization, name, and code  
**Syntax Notes:** 1 At least one of N102 or N103 is required.  
 2 If either N103 or N104 is present, then the other is required.  
**Semantic Notes:**  
**Comments:** 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.  
 2 N105 and N106 further define the type of entity in N101.  
**Notes:** 1. *Multiple iterations of the 1/N1/060 loop are permitted to identify the party(ies) associated with the development and submission of the MSDS.*  
 2. *If possible, use only N101 and the N103/N104 combination to provide the appropriate entity and address information.*

**Data Element Summary**

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N101	98 Entity Identifier Code	M ID 2/2
		Code identifying an organizational entity, a physical location, or an individual	
		DS Distributor	<i>Use as needed to identify the entity in the material chain-of-custody responsible for distributing the material and which did not alter product information.</i>
		MF Manufacturer of Goods	<i>Use to identify the product manufacturer and entity responsible for determining the final product formulation.</i>
		R6 Requester	<i>Use to identify the entity initiating the MSDS request or requirement.</i>
		SU Supplier/Manufacturer	<i>Use as needed to identify the entity providing the material if other than distribution or manufacturer of goods.</i>
		YE Third Party	<i>Use to identify the MSDS submitter when other than the manufacturer or party providing the</i>

			<i>material.</i>	
		ZD	Party to Receive Reports The organization designated to receive reports <i>Use to indicate the party to receive the MSDS if other than the requester or entity initiating the requirement (R6).</i>	
N102	93	<b>Name</b>		X AN 1/35
		Free-form name		
			<i>Use only when no coded identification for the entity is available.</i>	
N103	66	<b>Identification Code Qualifier</b>		X ID 1/2
		Code designating the system/method of code structure used for Identification Code (67)		
		1	D-U-N-S Number, Dun & Bradstreet	
		9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix	
		10	Department of Defense Activity Address Code (DODAAC) <i>Use to identify a government activity within the Department of Defense.</i>	
		33	Commercial and Government Entity (CAGE)	
		FI	Federal Taxpayer's Identification Number	
N104	67	<b>Identification Code</b>		X AN 2/20
		Code identifying a party or other code		
Not Used	N105	<b>706 Entity Relationship Code</b>		O ID 2/2
		Code describing entity relationship		
N106	98	<b>Entity Identifier Code</b>		O ID 2/2
		Code identifying an organizational entity, a physical location, or an individual		
		FR	Message From <i>Use as needed in conjunction with appropriate I/N101/060 code to identify the party originating the transaction set.</i>	
		TO	Message To <i>Use as needed in conjunction with the appropriate I/N101/060 code to identify the party to receive the transaction set.</i>	

**Segment:** **N2** Additional Name Information

**Position:** 070

**Loop:** N1 Optional

**Level:** Heading

**Usage:** Optional

**Max Use:** >1

**Purpose:** To specify additional names or those longer than 35 characters in length

**Syntax Notes:**

**Semantic Notes:**

**Comments:**

**Notes:** *Use only as required in conjunction with N102 to further identify the entity when the N103/N104 combination is not sufficient. For example, use to identify a specific division or office of the organization cited in N102.*

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	
	<b><u>Des.</u></b>	<b><u>Element</u></b>	<b><u>Name</u></b>
			<b><u>Attributes</u></b>
<b>Must Use</b>	<b>N201</b>	<b>93</b>	<b>Name</b>
			<b>M AN 1/35</b>
			Free-form name
	<b>N202</b>	<b>93</b>	<b>Name</b>
			<b>O AN 1/35</b>
			Free-form name

**Segment:** **N3** Address Information  
**Position:** 080  
**Loop:** N1 Optional  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To specify the location of the named party  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:**

**Notes:** *Use only as required in conjunction with N102 to further identify the entity's address when the N103/N104 combination is not sufficient.*

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b><u>Des.</u></b>	<b><u>Element</u> <u>Name</u></b>	<b><u>Attributes</u></b>
<b>Must Use</b>	<b>N301</b>	<b>166</b> <b>Address Information</b> Address information	<b>M AN 1/35</b>
	<b>N302</b>	<b>166</b> <b>Address Information</b> Address information	<b>O AN 1/35</b>

**Segment:** **N4 Geographic Location**  
**Position:** 090  
**Loop:** N1 Optional  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** 1  
**Purpose:** To specify the geographic place of the named party  
**Syntax Notes:** 1 If N406 is present, then N405 is required.  
**Semantic Notes:**  
**Comments:** 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.  
 2 N402 is required only if city name (N401) is in the USA or Canada.  
**Notes:** *Use only as required in conjunction with N102 to further identify the entity location when the N103/N104 combination is not sufficient.*

**Data Element Summary**

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
N401	19	City Name Free-form text for city name	O AN 2/30
N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency	O ID 2/2
N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	O ID 3/11
N404	26	Country Code Code identifying the country <i>Use only in transactions identifying the location of an entity as a country outside the fifty United States or its territories or possessions.</i>	O ID 2/3
Not Used	N405	309 Location Qualifier Code identifying type of location	X ID 1/2
Not Used	N406	310 Location Identifier Code which identifies a specific location	O AN 1/30

**Segment:** **REF** Reference Numbers  
**Position:** 100  
**Loop:** N1 Optional  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To specify identifying numbers.  
**Syntax Notes:** 1 At least one of REF02 or REF03 is required.  
**Semantic Notes:**  
**Comments:**  
**Notes:** *Use as needed in all transactions to further identify the entity cited in N101.*

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	REF01	128 Reference Number Qualifier	M ID 2/2
		Code qualifying the Reference Number.	
		W7 Commercial and Government Entity (CAGE) Code	
		Code that identifies a commercial contractor authorized to do business with the U.S. Government	
		<i>Use to indicate the CAGE code of the organization (other than government) cited in N101 if N103 is other than code 33.</i>	
Must Use	REF02	127 Reference Number	X AN 1/30
		Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	
Not Used	REF03	352 Description	X AN 1/80
		A free-form description to clarify the related data elements and their content	

**Segment:** **PER** Administrative Communications Contact  
**Position:** 110  
**Loop:** N1 Optional  
**Level:** Heading  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To identify a person or office to whom administrative communications should be directed

**Syntax Notes:**

- 1 If either PER03 or PER04 is present, then the other is required.
- 2 If either PER05 or PER06 is present, then the other is required.
- 3 If either PER07 or PER08 is present, then the other is required.

**Semantic Notes:**

**Comments:**

- Notes:**
1. *Suppliers must, as a minimum, identify the emergency contact and telephone number and provide an information contact and telephone number.*
  2. *Use PER05/PER06 and PER07/PER08 to provide a second and third, respectively, contact number associated with the named contact.*
  3. *Repeat the use of 1/PER/110 as needed to provide all applicable points of contact for each entity identified by an iteration of the 1/N1/060 loop.*

**Data Element Summary**

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	PER01	366 Contact Function Code	M ID 2/2
		Code identifying the major duty or responsibility of the person or group named	
		AT Material Safety Data Sheet Contact	
		EM Emergency Contact	
		<i>Use to identify point of contact for emergency situations. Cite the office or third party representative (e.g., CHEMTREC) in PER02.</i>	
		HM Hazardous Material Contact	
		<i>Use as needed to identify the general point of contact from which information regarding the hazards of the material may be obtained.</i>	
		TR Technical Marketing Representative	
		<i>Use as needed to identify the point of contact for general product information.</i>	
PER02	93	Name	O AN 1/35
		Free-form name	
		<i>Use to indicate the name of the person or office. Last name first, followed by first name is preferred. If the whole name exceeds 35 characters, use the initial of the first name.</i>	

<b>PER03</b>	<b>365</b>	<b>Communication Number Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type of communication number		
		<i>When citing a telephone or facsimile number, do not include dashes.</i>		
		EM		Electronic Mail
		FX		Facsimile
		IT		International Telephone
				<i>Include the country code.</i>
		TE		Telephone
<b>PER04</b>	<b>364</b>	<b>Communication Number</b>	<b>X</b>	<b>AN 1/80</b>
		Complete communications number including country or area code when applicable		
<b>PER05</b>	<b>365</b>	<b>Communication Number Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type of communication number		
		EM		Electronic Mail
		EX		Telephone Extension
				<i>Use only if PER03 is used citing either code TE or IT.</i>
		FX		Facsimile
		IT		International Telephone
				<i>Include the country code.</i>
		TE		Telephone
<b>PER06</b>	<b>364</b>	<b>Communication Number</b>	<b>X</b>	<b>AN 1/80</b>
		Complete communications number including country or area code when applicable		
<b>PER07</b>	<b>365</b>	<b>Communication Number Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type of communication number		
		EM		Electronic Mail
		EX		Telephone Extension
				<i>Use only if PER05 is used citing either code TE or IT.</i>
		FX		Facsimile
		IT		International Telephone
				<i>Include the country code.</i>
		TE		Telephone
<b>PER08</b>	<b>364</b>	<b>Communication Number</b>	<b>X</b>	<b>AN 1/80</b>
		Complete communications number including country or area code when applicable		
<b>PER09</b>	<b>443</b>	<b>Contact Inquiry Reference</b>	<b>O</b>	<b>AN 1/20</b>
		Additional reference number or description to clarify a contact number		
		<i>Use as needed to further identify the point of contact or communications method. For example, use to cite "24-hours" or "Mon</i>		

***-Fri" as needed.***

<b>Segment:</b>	<b>LIN</b> Item Identification
<b>Position:</b>	010
<b>Loop:</b>	LIN Mandatory
<b>Level:</b>	Detail
<b>Usage:</b>	Mandatory
<b>Max Use:</b>	1
<b>Purpose:</b>	To specify basic item identification data
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 If either LIN04 or LIN05 is present, then the other is required.</li> <li>2 If either LIN06 or LIN07 is present, then the other is required.</li> <li>3 If either LIN08 or LIN09 is present, then the other is required.</li> <li>4 If either LIN10 or LIN11 is present, then the other is required.</li> <li>5 If either LIN12 or LIN13 is present, then the other is required.</li> <li>6 If either LIN14 or LIN15 is present, then the other is required.</li> <li>7 If either LIN16 or LIN17 is present, then the other is required.</li> <li>8 If either LIN18 or LIN19 is present, then the other is required.</li> <li>9 If either LIN20 or LIN21 is present, then the other is required.</li> <li>10 If either LIN22 or LIN23 is present, then the other is required.</li> <li>11 If either LIN24 or LIN25 is present, then the other is required.</li> <li>12 If either LIN26 or LIN27 is present, then the other is required.</li> <li>13 If either LIN28 or LIN29 is present, then the other is required.</li> <li>14 If either LIN30 or LIN31 is present, then the other is required.</li> </ol>
<b>Semantic Notes:</b>	<ol style="list-style-type: none"> <li>1 LIN01 is the line item identification</li> </ol>
<b>Comments:</b>	<ol style="list-style-type: none"> <li>1 See the Data Dictionary for a complete list of ID's.</li> <li>2 LIN02 through LIN31 provide for fifteen (15) different product/service ID's for each item. For Example: Case, Color, Drawing No., UPC No., ISBN No., Model No., SKU.</li> </ol>
<b>Notes:</b>	<ol style="list-style-type: none"> <li>1. <i>Use only the 2/LIN/010 segment in cancellation transactions to identify the material associated with the canceled MSDS.</i></li> <li>2. <i>Use all additional necessary segments in the 2/LIN/010 loop in original and replacement transactions to identify the specific MSDS content.</i></li> <li>3. <i>Use data element 235/234 pairs to identify data pertinent to the transaction. Unless otherwise specified, the multiple codes listed for a single qualifier data element identify the range of possible data requirements. When needed, use the next available combination of data element 235/234 pairs to provide the necessary data.</i></li> <li>4. <i>The most desirable means of item identification is manufacturer's part number and CAGE Code. However, MSDS submitters may use other authorized coding alternatives to identify the material for which the MSDS is prepared. This information will be used in conjunction with an MSDS reference number, MSDS revision number, and MSDS effective date to uniquely identify any individual MSDS.</i></li> <li>5. <i>Manufacturers should use one 235/234 pair to identify the product by manufacturer's part number (Code MG) and immediately follow with another</i></li> </ol>

*235/234 pair identifying the associated manufacturer CAGE Code (Code ZB).*

*6. Distributors and repackagers should use one 235/234 pair to identify the product by vendor's part number (Code VP) and follow immediately with a 235/234 pair identifying the associated distributor or repackagers CAGE Code (Code ZB). Distributors and repackagers should then use two additional 235/234 pairs to identify the product manufacturer's part number (Code MG) and CAGE Code (Code ZB), if known.*

*7. Suppliers should identify the product by manufacturer's part number (Code MG) in one 235/234 pair and follow immediately with a 235/234 pair identifying the associated manufacturer CAGE Code (Code ZB).*

*8. All submitters shall provide the National Stock Number (NSN), if known, but NOT as a substitute for part number and CAGE Code. The use of code FS may be repeated in successive 235/234 pairs to identify multiple NSN's corresponding to the product.*

*9. Provide other identifying information, as required, to adequately identify the material for which the MSDS applies.*

**Data Element Summary**

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
LIN01	350	Assigned Identification	O AN 1/11
		Alphanumeric characters assigned for differentiation within a transaction set	
		<i>Use to identify the Contract Line Item Number (CLIN), Sub Contract Line Item Number (SUBCLIN), or the Exhibit Line Item Number (ELIN), if one is assigned.</i>	
Must Use	LIN02	Product/Service ID Qualifier	M ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
		<i>Use one of the following codes in the LIN02/LIN03 data element pair to identify the material. Use any code in subsequent data element pairs to further identify the material as needed.</i>	
		A2 Department of Defense Identification Code (DoDIC)	
		Qualifies a code that uniquely identifies a type of explosive or ammunition	
		BN Bar-Coded Serial Number	
		BP Buyer's Part Number	
		CN Commodity Name	
		CO Chemical Abstract Service (CAS) Registry Number	
		FS National Stock Number	
		IN Buyer's Item Number	

LT	Lot Number
MG	Manufacturer's Part Number <i>Use to identify a manufacturer or supplier's part number.</i>
UK	U.P.C./EAN Shipping Container Code (1-2-5-5-1) A 14-digit code that uniquely identifies the manufacturer's shipping unit, including the packaging indicator and check digit; the first digit is the packaging indicator, the next two digits are the number system characters, the next five digits are the manufacturer ID number, the second five digits are the item code, and the final digit is the check digit
UP	U.P.C. Consumer Package Code (1-5-5-1)
VN	Vendor's (Seller's) Item Number
VP	Vendor's (Seller's) Part Number <i>Use to identify a distributor or repackager's part number.</i>
VX	Vendor's Specification Number
ZB	Commercial and Government Entity (CAGE) Code A code that identifies a commercial contractor authorized to do business with the U.S. government <i>Use in conjunction with code MG (or VP) to identify the manufacturer (or distributor).</i>

<b>Must Use</b>	<b>LIN03</b>	<b>234</b>	<b>Product/Service ID</b>	<b>M</b>	<b>AN 1/40</b>
			Identifying number for a product or service		
	<b>LIN04</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
			Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
	<b>LIN05</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
			Identifying number for a product or service		
	<b>LIN06</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
			Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
	<b>LIN07</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
			Identifying number for a product or service		
	<b>LIN08</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
			Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
	<b>LIN09</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
			Identifying number for a product or service		

<b>LIN10</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN11</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		
<b>LIN12</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN13</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		
<b>LIN14</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN15</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		
<b>LIN16</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN17</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		
<b>LIN18</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN19</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		
<b>LIN20</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN21</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		
<b>LIN22</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN23</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		

<b>LIN24</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN25</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		
<b>LIN26</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN27</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		
<b>LIN28</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN29</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		
<b>LIN30</b>	<b>235</b>	<b>Product/Service ID Qualifier</b>	<b>X</b>	<b>ID 2/2</b>
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
<b>LIN31</b>	<b>234</b>	<b>Product/Service ID</b>	<b>X</b>	<b>AN 1/40</b>
		Identifying number for a product or service		

<b>Segment:</b>	<b>PID</b> Product/Item Description
<b>Position:</b>	020
<b>Loop:</b>	LIN Mandatory
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	>1
<b>Purpose:</b>	To describe a product or process in coded or free-form format
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 If PID04 is present, then PID03 is required.</li> <li>2 At least one of PID04 or PID05 is required.</li> <li>3 If PID07 is present, then PID03 is required.</li> <li>4 If PID08 is present, then PID03 is required.</li> </ol>
<b>Semantic Notes:</b>	<ol style="list-style-type: none"> <li>1 Use PID03 to indicate the organization that publishes the code list being referred to.</li> <li>2 PID04 should be used for industry-specific product description codes.</li> <li>3 PID08 describes the physical characteristics of the product identified in PID04. A ``Y" indicates that the specified attribute applies to this item. A ``N" indicates it does not apply. Any other value is indeterminate.</li> </ol>
<b>Comments:</b>	<ol style="list-style-type: none"> <li>1 If PID01 = ``F", then PID05 is used. If PID01 = ``S", then PID04 is used. If PID01 = ``X", then both PID04 and PID05 are used.</li> <li>2 Use PID06 when necessary to refer to the product surface or layer being described in the segment.</li> <li>3 PID07 specifies the individual code list of the agency specified in PID03.</li> </ol>
<b>Notes:</b>	<i>Use this segment only if the product applicable to the MSDS cannot be adequately identified by a code value cited in the LIN segment.</i>

**Data Element Summary**

	<u>Ref.</u>	<u>Data</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	PID01	349 <b>Item Description Type</b>	M ID 1/1
		Code indicating the format of a description	
		F Free-form	
		S Structured (From Industry Code List)	
		X Semi-structured (Code and Text)	
Must Use	PID02	750 <b>Product/Process Characteristic Code</b>	O ID 2/3
		Code identifying the general class of a product or process characteristic	
		08 Product	
		<i>Use to indicate a complete set or kit. When used, provide a general description, including the intended use, of the set or kit in PID05.</i>	
		09 Sub-product	
		<i>Use to indicate a component of a kit and provide a description of the component in PID05.</i>	
		80 MILSPEC (Military Specification)	
		<i>Use to identify a Military Specification (MILSPEC) or Military Standard (MILSTD).</i>	

81 FEDSPEC (Federal Specification)  
 82 FED-STD (Federal Standard)  
 83 CID (Commercial Item Description)  
 84 Special Specification  
*Use in conjunction with PID04 to identify an industry specification.*

CCN Common Chemical Name  
 CHF Chemical Family  
 SYN Synonym

*Use to indicate another name under which the product is sold.*

TRN Trade Name  
*Use to indicate the brand name under which the product is sold.*

PID03	559	<b>Agency Qualifier Code</b>	<b>X ID 2/2</b>
Code identifying the agency assigning the code values			
<i>Use any code.</i>			
Refer to 003050 Data Element Dictionary for acceptable code values.			
PID04	751	<b>Product Description Code</b>	<b>X AN 1/12</b>
A code from an industry code list which provides specific data about a product characteristic			
PID05	352	<b>Description</b>	<b>X AN 1/80</b>
A free-form description to clarify the related data elements and their content			
<i>Use to identify in free form text, the product applicable to the MSDS.</i>			
Not Used	PID06	752 <b>Surface/Layer/Position Code</b>	<b>O ID 2/2</b>
Code indicating the product surface, layer or position that is being described			
Not Used	PID07	822 <b>Source Subqualifier</b>	<b>O AN 1/15</b>
A reference that indicates the table or text maintained by the Source Qualifier			
Not Used	PID08	1073 <b>Yes/No Condition or Response Code</b>	<b>O ID 1/1</b>
Code indicating a Yes or No condition or response			

<b>Segment:</b>	<b>MSS</b> <b>Material Safety Data Sheet Section Information</b>
<b>Position:</b>	030
<b>Loop:</b>	MSS Optional
<b>Level:</b>	Detail
<b>Usage:</b>	Optional
<b>Max Use:</b>	1
<b>Purpose:</b>	To identify the report section
<b>Syntax Notes:</b>	<ol style="list-style-type: none"> <li>1 At least one of MSS01 MSS02 or MSS06 is required.</li> <li>2 Only one of MSS01 or MSS06 may be present.</li> </ol>
<b>Semantic Notes:</b>	<ol style="list-style-type: none"> <li>1 MSS02 is a text description of the report section.</li> <li>2 MSS03 indicates the state or province issuing the regulations that determine what is reported in this section of the Material Safety Data Sheet (MSDS).</li> <li>3 MSS04 identifies the country issuing the regulations that determine what is reported in this section.</li> </ol>
<b>Comments:</b>	<ol style="list-style-type: none"> <li>1 MSS05 indicates whether any data in this report section has changed since the last revision of this report.</li> <li>2 MSS07 indicates that the safety characteristics or hazard name is included in the name of the MSDS section or subsection.</li> </ol>
<b>Notes:</b>	<i>Use only in original and replacement submissions. Only a single iteration of the 2/MSS/030 loop is used. Multiple repetitions of 2/MSG/050 convey the MSDS text stream.</i>

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element Name</b>	
<b>Must Use</b>	<b>MSS01</b>	<b>820 Report Section Name Code</b> Code identifying the name of the section of the report MS Material Safety Data Sheet	<b>X ID 2/2</b>
<b>Not Used</b>	<b>MSS02</b>	<b>352 Description</b> A free-form description to clarify the related data elements and their content	<b>X AN 1/80</b>
<b>Not Used</b>	<b>MSS03</b>	<b>156 State or Province Code</b> Code (Standard State/Province) as defined by appropriate government agency	<b>O ID 2/2</b>
<b>Not Used</b>	<b>MSS04</b>	<b>26 Country Code</b> Code identifying the country	<b>O ID 2/3</b>
<b>Not Used</b>	<b>MSS05</b>	<b>259 Change Type Code</b> Code indicating change type	<b>O ID 1/1</b>
<b>Not Used</b>	<b>MSS06</b>	<b>1472 Report Section Number</b> Number identifying a specified section or subsection of a report	<b>X N2 3/4</b>
<b>Not Used</b>	<b>MSS07</b>	<b>821 Safety Characteristic/Hazard Code</b> Code indicating precautionary measures, means of treatment and hazard information and warnings	<b>O ID 3/3</b>

**Segment:** **MSG** Message Text  
**Position:** 050  
**Loop:** MSS Optional  
**Level:** Detail  
**Usage:** Optional  
**Max Use:** >1  
**Purpose:** To provide a free form format that would allow the transmission of text information.  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:** 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

- Notes:**
1. *Use multiple repetitions as necessary to convey all MSDS content data.*
  2. *Identify section and subsection headings prior to conveying any applicable data to ensure clarity and readability.*
  3. *Federal Acquisition regulation requires labeling information in conjunction with the submission of an MSDS for all government purchases. Use the subsection heading "HAZCOM Warning Label." Data required include:*
    - *Identity of hazardous chemical(s);*
    - *Appropriate hazard warnings to include target organ information; and*
    - *Name and address of chemical manufacturer, importer or responsible party.*

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b><u>Des.</u></b>	<b><u>Element</u> <u>Name</u></b>	<b><u>Attributes</u></b>
<b>Must Use</b>	<b>MSG01</b>	<b>933 Free-Form Message Text</b> Free-form message text	<b>M AN 1/264</b>
<b>Must Use</b>	<b>MSG02</b>	<b>934 Printer Carriage Control Code</b> A field to be used for the control of the line feed of the receiving printer <i>Use as needed to accurately portray data.</i>	<b>O ID 2/2</b>
		AT Advanced Three Lines Before Print	
		DS Advance two lines before print	
		LC Line Continuation	
		NP Advance to next page before print	
		NS No advance before print	
		SS Advance to new line before print	

**Segment:** **SE** Transaction Set Trailer  
**Position:** 020  
**Loop:**  
**Level:** Summary  
**Usage:** Mandatory  
**Max Use:** 1  
**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments).  
**Syntax Notes:**  
**Semantic Notes:**  
**Comments:** 1 SE is the last segment of each transaction set.

**Data Element Summary**

	<b>Ref.</b>	<b>Data</b>	<b>Attributes</b>
	<b>Des.</b>	<b>Element Name</b>	
<b>Must Use</b>	<b>SE01</b>	<b>96 Number of Included Segments</b>	<b>M N0 1/10</b>
		Total number of segments included in a transaction set including ST and SE segments	
<b>Must Use</b>	<b>SE02</b>	<b>329 Transaction Set Control Number</b>	<b>M AN 4/9</b>
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	
		<i>Cite the same number as the one cited in ST02.</i>	